

**APPENDIX I**  
**SHOWING MARKED-UP VERSION OF CLAIMS**

21. A method of screening a patient perioperatively to determine a risk for surgical complications associated with known genetic variations comprising:

- c) obtaining a sample from a perioperative subject; and
- d) subjecting said sample to an assay for detecting two or more genetic markers to generate a genomic profile for use in selecting a perioperative course of action, wherein said subjecting step occurs after said patient is scheduled for surgery but before completion of said surgery.

22. The method of Claim 21, wherein said course of action comprises administration of anesthesia during a surgical procedure.

23. The method of Claim 22, wherein said surgical procedure is non-invasive surgery.

24. The method of Claim 22, wherein said surgical procedure is invasive surgery.

25. The method of Claim 21, wherein said course of action comprises administration of anesthesia during a medical procedure.

26. The method of Claim 21, wherein said genomic profile comprises information pertaining to a pharmacodynamic risk.

27. The method of Claim 21, wherein said genomic profile comprises information pertaining to a pharmacokinetic risk.

28. The method of Claim 21, wherein said genomic profile comprises a presymptomatic diagnosis.

29. The method of Claim 21, wherein said genomic profile comprises information pertaining to differential diagnosis of co-existing diseases.

30. The method of Claim 21, wherein said two or more genetic markers comprise mutations in two or more genes, said genes selected from the group consisting of BChE, CYP2D6, MTHFR, MS, CBS, F 5 Leiden, Prothrombin, RYR1, CACNA1S, and CPT 2.

31. The method of Claim 21, further comprising the step of c) using said genomic profile for selection of conditions for a surgical procedure carried out on said patient.

32. A method for selecting conditions for a surgical procedure by screening a patient perioperatively to determine a risk for surgical complications associated with known genetic variations comprising:

- a) providing a sample from a perioperative subject; and
- b) subjecting said sample to an assay for detecting two or more genetic markers known to be associated with perioperative phenotypes to generate a genomic profile for use in selecting a surgical procedure treatment course of action; and
- c) subjecting said subject to a surgical procedure, wherein conditions for said procedure are selected using said genomic profile.

33. The method of Claim 32, wherein said genetic markers are associated with a pharmacological response.

34. The method of Claim 33, wherein said pharmacological response is to an anesthetic.

35. The method of Claim 33, wherein said pharmacological response is to drugs used in anesthetic practice.

36. The method of Claim 32, wherein said two or more genetic markers comprises a mutation in two or more genes, said genes selected from the group consisting of BChE, CYP2D6, MTHFR, MS, CBS, F 5 Leiden, Prothrombin, RYR1, CACNA1S, and CPT 2.

37. A method of screening a patient perioperatively to determine a risk for surgical complications from known genetic variations comprising:

- c) obtaining a sample from a perioperative subject; and
- d) subjecting said sample to an assay for detecting two or more genetic markers clinically associated with two or more conditions selected from the group consisting of butyrylcholinesterase deficiency, poor debrisoquine metabolism, thrombus, and malignant hyperthermia to generate a genomic profile, wherein said genomic profile provides information for use by a physician in selecting a perioperative course of action.

38. The method of Claim 37, wherein said course of action comprises administration of anesthesia during a surgical procedure.

39. The method of Claim 38, wherein said surgical procedure is non-invasive surgery.

40. The method of Claim 38, wherein said surgical procedure is invasive surgery.

41. The method of Claim 37, further comprising the step of c) using said genomic profile for selection of conditions for a surgical procedure carried out on said patient.

## **APPENDIX II**

### **PENDING CLAIMS**

21. A method of screening a patient perioperatively to determine a risk for surgical complications associated with known genetic variations comprising:

- e) obtaining a sample from a perioperative subject; and
- f) subjecting said sample to an assay for detecting two or more genetic markers to generate a genomic profile for use in selecting a perioperative course of action, wherein said subjecting step occurs after said patient is scheduled for surgery but before completion of said surgery.

22. The method of Claim 21, wherein said course of action comprises administration of anesthesia during a surgical procedure.

23. The method of Claim 22, wherein said surgical procedure is non-invasive surgery.

24. The method of Claim 22, wherein said surgical procedure is invasive surgery.

25. The method of Claim 21, wherein said course of action comprises administration of anesthesia during a medical procedure.

26. The method of Claim 21, wherein said genomic profile comprises information pertaining to a pharmacodynamic risk.

27. The method of Claim 21, wherein said genomic profile comprises information pertaining to a pharmacokinetic risk.

28. The method of Claim 21, wherein said genomic profile comprises a presymptomatic diagnosis.

29. The method of Claim 21, wherein said genomic profile comprises information pertaining to differential diagnosis of co-existing diseases.

30. The method of Claim 21, wherein said two or more genetic markers comprise mutations in two or more genes, said genes selected from the group consisting of BChE, CYP2D6, MTHFR, MS, CBS, F 5 Leiden, Prothrombin, RYR1, CACNA1S, and CPT 2.

31. The method of Claim 21, further comprising the step of c) using said genomic profile for selection of conditions for a surgical procedure carried out on said patient.

32. A method for selecting conditions for a surgical procedure by screening a patient perioperatively to determine a risk for surgical complications associated with known genetic variations comprising:

- a) providing a sample from a perioperative subject; and
- b) subjecting said sample to an assay for detecting two or more genetic markers known to be associated with perioperative phenotypes to generate a genomic profile for use in selecting a surgical procedure treatment course of action; and
- c) subjecting said subject to a surgical procedure, wherein conditions for said procedure are selected using said genomic profile.

33. The method of Claim 32, wherein said genetic markers are associated with a pharmacological response.

34. The method of Claim 33, wherein said pharmacological response is to an anesthetic.

35. The method of Claim 33, wherein said pharmacological response is to drugs used in anesthetic practice.

36. The method of Claim 32, wherein said two or more genetic markers comprises a mutation in two or more genes, said genes selected from the group consisting of BChE, CYP2D6, MTHFR, MS, CBS, F 5 Leiden, Prothrombin, RYR1, CACNA1S, and CPT 2.

37. A method of screening a patient perioperatively to determine a risk for surgical complications from known genetic variations comprising:

- e) obtaining a sample from a perioperative subject; and
- f) subjecting said sample to an assay for detecting two or more genetic markers clinically associated with two or more conditions selected from the group consisting of butyrylcholinesterase deficiency, poor debrisoquine metabolism, thrombus, and malignant hyperthermia to generate a genomic profile, wherein said genomic profile provides information for use by a physician in selecting a perioperative course of action.

38. The method of Claim 37, wherein said course of action comprises administration of anesthesia during a surgical procedure.

39. The method of Claim 38, wherein said surgical procedure is non-invasive surgery.

40. The method of Claim 38, wherein said surgical procedure is invasive surgery.

41. The method of Claim 37, further comprising the step of c) using said genomic profile for selection of conditions for a surgical procedure carried out on said patient.